



QINGDAO JUYUAN FITNESS TECHNOLOGY CO., LTD. LIUTING BUILDING MATERIALS INDUSTRY PARK, CHENG YANG DISTRICT, QINGDAO, P.R.CHINA

T: 0532-84902088 www.juyuanfitness.com www.sunsforce.com













# NEW CARDIO SERIES

# CONSOLE FLEXIBILITY

When passion meets wellness, what kind of fitness experience will shape your future? Introducing the next generation cardio series, unlike traditional designs, our product comes with a unique feature – a variety of optional control consoles, allowing your exercise to be entirely in your hands.













# STAIRTRAINER

# COMMERCIAL STAIRTRAINER

Meticulously designed for a perfect blend of aesthetics and performance, this latest StairTrainer promises an unparalleled fitness experience.Innovative Design:

The cutting-edge exterior seamlessly merges modern aesthetics with technological elements, adding a touch of style to your fitness space. Enhanced Fitness Endurance:

Featuring a professional-grade simulation system that replicates stair climbing, it comprehensively strengthens cardiovascular function, pushing the limits of your body.

#### **FEATURES**

- Dual safety switch (pull-wire type + infrared sensor type)
- Initial step height: 320mm
- Minimum pedal position memory function
- Pedal warning strip
- POM material rollers are more silent
- CE Certified

#### **Optional Consoles**















## **CLE450**





## **CLE500**









| Specifications                     | CLE450-T             | CLE450               |
|------------------------------------|----------------------|----------------------|
| Console Screen                     | 10.1"Touchscreen     | LED                  |
| Resistance Level                   | 1-20                 | 1-20                 |
| Staircase Dimension                | 450*280*180mm        | 450*280*180mm        |
| Initial Stair Height               | 300mm                | 300mm                |
| E ective Utilization Staircase     | 3                    |                      |
| Self-compiled Programs             |                      | 3                    |
|                                    | 1                    | 1                    |
| Preset Programs                    | 6                    | 6                    |
| Power Requirements                 | AC 100V~240V 50/60Hz | AC 100V~240V 50/60Hz |
| Assembled Dimension                | 1660*845*2145mm      | 1660*845*2145mm      |
| Net Weight/Gross Weight            | 132/216KG            | 132/216KG            |
| Max User Weight                    | 150KG                | 150KG                |
| Console Function                   |                      |                      |
| USB                                | •                    | <u>-</u>             |
| Headphone                          | •                    | -                    |
| Multiple Cup And Accessory Holders | •                    | •                    |
| Bluetooth Audio Output             | •                    | •                    |
| Mobile and Pad Holders             | •                    | •                    |
| Console Data Display               |                      |                      |
| Resistance Level                   | •                    | •                    |
| Speed                              | •                    | •                    |
| Rotations Per Minute               | •                    | •                    |
| Average Speed                      | •                    | •                    |
| Calories                           | •                    | •                    |
| Heart Rate                         | •                    | •                    |
| Distance                           | •                    | •                    |
| Time                               | •                    | •                    |
| Frequency                          | •                    | •                    |
| Power Ration                       | •                    | •                    |
| Remaining Time                     | •                    | •                    |
| Elapsed Time                       | •                    | •                    |
| Total Progress Time                | •                    | •                    |
| Preset Programs                    | •                    | •                    |
| Self-compiled Programs             | •                    | •                    |
| Function Feature                   |                      | -                    |
| Easily Stepped Into                | •                    | •                    |
| Patent-Emergency Stop              | •                    | •                    |
| Multiple Position Handrails        | •                    | •                    |
| Quick Adjustable Handrail          | •                    | •                    |
| ·                                  | •                    | <del>-</del>         |
| Transport Wheel                    | •                    | <u> </u>             |
| Infrared Sensor                    | •                    | •                    |





| Specifications                     | CLE450-TB              | CLE450-B               |
|------------------------------------|------------------------|------------------------|
| Console Screen                     | 10.1"Touchscreen       | LED                    |
| Resistance Level                   | 1-20                   | 1-20                   |
| Staircase Dimension                | 450*300*200mm          | 450*300*200mm          |
| Initial Stair Height               | 300mm                  | 300mm                  |
| E ective Utilization Staircase     | 3                      | 3                      |
| Self-compiled Programs             | 1                      | 1                      |
| Preset Programs                    | 6                      | 6                      |
| Power Requirements                 | AC 100V ~ 240V 50/60Hz | AC 100V ~ 240V 50/60Hz |
| Assembled Dimension                | 1660*845*2145mm        | 1660*845*2145mm        |
| Net Weight/Gross Weight            | 132/216KG              | 132/216KG              |
| Max User Weight                    | 150KG                  | 150KG                  |
| Console Function                   |                        |                        |
| USB                                | •                      |                        |
| Headphone                          | •                      | -                      |
| Multiple Cup And Accessory Holders | •                      | •                      |
| Bluetooth Audio Output             | •                      | •                      |
| Mobile and Pad Holders             | •                      | •                      |
| Console Data Display               |                        |                        |
| Resistance Level                   | •                      | •                      |
| Speed                              | •                      | •                      |
| Rotations Per Minute               | •                      | •                      |
| Average Speed                      | •                      | •                      |
| Calories                           | •                      | •                      |
| Heart Rate                         | •                      | •                      |
| Distance                           | •                      | •                      |
| Time                               | •                      | •                      |
| Frequency                          | •                      | •                      |
| Power Ration                       | •                      | •                      |
| Remaining Time                     | •                      | •                      |
| Elapsed Time                       | •                      | •                      |
| Total Progress Time                | •                      | •                      |
| Preset Programs                    | •                      | •                      |
| Self-compiled Programs             | •                      | •                      |
| Function Feature                   |                        |                        |
| Easily Stepped Into                | •                      | •                      |
| Patent-Emergency Stop              | •                      | •                      |
| Multiple Position Handrails        | •                      | •                      |
| Quick Adjustable Handrail          | •                      | •                      |
| Transport Wheel                    | •                      | •                      |
| Infrared Sensor                    | •                      | •                      |





| Specifications                     | CLE500-T             | CLE500                 |
|------------------------------------|----------------------|------------------------|
| Console Screen                     | 10.1"Touchscreen     | LED                    |
| Resistance Level                   | 1-20                 | 1-20                   |
| Staircase Dimension                | 500*300*200mm        | 500*300*200mm          |
| Initial Stair Height               | 335mm                | 335mm                  |
| E ective Utilization Staircase     | 3                    | 3                      |
| Self-compiled Programs             | 1                    | 1                      |
| Preset Programs                    | 6                    | 6                      |
| Power Requirements                 | AC 100V~240V 50/60Hz | AC 100V ~ 240V 50/60Hz |
| Assembled Dimension                | 1895*845*2302mm      | 1895*845*2302mm        |
| Net Weight/Gross Weight            | 142/226KG            | 142/226KG              |
| Max User Weight                    | 150KG                | 150KG                  |
| Console Function                   |                      |                        |
| USB                                | •                    | -                      |
| Headphone                          | •                    | -                      |
| Multiple Cup And Accessory Holders | •                    | •                      |
| Bluetooth Audio Output             | •                    | •                      |
| Mobile and Pad Holders             | •                    | •                      |
| Console Data Display               |                      |                        |
| Resistance Level                   | •                    | •                      |
| Speed                              | •                    | •                      |
| Rotations Per Minute               | •                    | •                      |
| Average Speed                      | •                    | •                      |
| Calories                           | •                    | •                      |
| Heart Rate                         | •                    | •                      |
| Distance                           | •                    | •                      |
| Time                               | •                    | •                      |
| Frequency                          | •                    | •                      |
| Power Ration                       | •                    | •                      |
| Remaining Time                     | •                    | •                      |
| Elapsed Time                       | •                    | •                      |
| Total Progress Time                | •                    | •                      |
| Preset Programs                    | •                    | •                      |
| Self-compiled Programs             | •                    | •                      |
| Function Feature                   |                      | •                      |
| Easily Stepped Into                | •                    | •                      |
| Patent-Emergency Stop              | •                    | •                      |
| Multiple Position Handrails        | •                    | •                      |
| Quick Adjustable Handrail          | •                    | •                      |
| Transport Wheel                    | •                    | •                      |
| Infrared Sensor                    | •                    | •                      |





| Specifications                     | CLE500-TB             | CLE500-B              |
|------------------------------------|-----------------------|-----------------------|
| Console Screen                     | 10.1"Touchscreen      | LED                   |
| Resistance Level                   | 1-20                  | 1-20                  |
| Staircase Dimension                | 1-20<br>500*300*200mm | 1-20<br>500*300*200mm |
|                                    |                       |                       |
| Initial Stair Height               | 335mm                 | 335mm                 |
| E ective Utilization Staircase     | 3                     | 3                     |
| Self-compiled Programs             | 1                     | 1                     |
| Preset Programs                    | 6                     | 6                     |
| Power Requirements                 | AC 100V~240V 50/60Hz  | AC 100V~240V 50/60Hz  |
| Assembled Dimension                | 1895*845*2302mm       | 1895*845*2302mm       |
| Net Weight/Gross Weight            | 142/226KG             | 142/226KG             |
| Max User Weight                    | 150KG                 | 150KG                 |
| Console Function                   |                       |                       |
| USB                                | •                     | -                     |
| Headphone                          | •                     | -                     |
| Multiple Cup And Accessory Holders | •                     | •                     |
| Bluetooth Audio Output             | •                     | •                     |
| Mobile and Pad Holders             | •                     | •                     |
| Console Data Display               |                       |                       |
| Resistance Level                   | •                     | •                     |
| Speed                              | •                     | •                     |
| Rotations Per Minute               | •                     | •                     |
| Average Speed                      | •                     | •                     |
| Calories                           | •                     | •                     |
| Heart Rate                         | •                     | •                     |
| Distance                           | •                     | •                     |
| Time                               | •                     | •                     |
| Frequency                          | •                     | •                     |
| Power Ration                       | •                     | •                     |
| Remaining Time                     | •                     | •                     |
| Elapsed Time                       | •                     | •                     |
| Total Progress Time                | •                     | •                     |
| Preset Programs                    | •                     | •                     |
| Self-compiled Programs             | •                     | •                     |
| Function Feature                   |                       |                       |
| Easily Stepped Into                | •                     | •                     |
| Patent-Emergency Stop              | •                     | •                     |
| Multiple Position Handrails        | •                     | •                     |
| Quick Adjustable Handrail          | •                     | •                     |
| Transport Wheel                    | •                     | •                     |
| Infrared Sensor                    | •                     |                       |
| IIIIIaieu Selisui                  | •                     | •                     |

### COMMERCIAL TREADMILL

Challenge your limits, unleash your passion! Introducing our brand-new gym treadmill, where running is not just exercise, but a perfect fusion of mind and body.

Traverse through time and feel the thrill of lightning-speed running, turning every step into the beginning of a breakthrough!

#### **FEATURES**

- 580\*1600mm running surface
- 3.0KW Power
- 0-15% incline
- 1-24KM/H Speed
- 150 kg. max weight capacity
- CE Certified

#### **Optional Consoles**

















| Specifications                     | CME580-T         | CME580          |
|------------------------------------|------------------|-----------------|
| Console Screen                     | 10.1"Touchscreen | LED             |
| Motor Power                        | 3.0KW            | 3.0KW           |
| Speed                              | 1-24KM/H         | 1-24KM/H        |
| Incline                            | 0-15%            | 0-15%           |
| Running Surface                    | 580*1600mm       | 580*1600mm      |
| Assembled Dimension                | 2096*820*1630mm  | 2096*820*1630mm |
| Self-compiled programs             | 3                | 3               |
| Preset Programs                    | 6                | 6               |
| Power Requirements                 | AC 220V/110V     | AC 220V/110V    |
| Net Weight/Gross Weight            | 205/303KG        | 205/303KG       |
| Max User Weight                    | 150KG            | 150KG           |
| Console Function                   |                  |                 |
| USB                                | •                | -               |
| Headphone                          | •                | -               |
| Multiple Cup And Accessory Holders | •                | •               |
| Bluetooth Audio Output             | •                | -               |
| Console Data Display               |                  |                 |
| Speed                              | •                | •               |
| Incline                            | •                | •               |
| Quick Incline Speed                | •                | •               |
| Quick Incline                      | •                | •               |
| Calories                           | •                | •               |
| Heart Rate                         | •                | •               |
| Distance                           | •                | •               |
| Time                               | •                | •               |
| Frequency                          | •                | •               |
| Power Ration                       | •                | •               |
| Remaining Time                     | •                | •               |
| Elapsed Time                       | •                | •               |
| Total Progress Time                | •                | •               |
| Rotations Per Minute               | •                | •               |
| Average Speed                      | •                | •               |
| METS                               | •                | •               |
| Preset Program                     | •                | •               |
| Self-compiled                      | •                | •               |
|                                    |                  |                 |





| 0 15                               |                  |                 |
|------------------------------------|------------------|-----------------|
| Specifications                     | CME580-TB        | CME580-B        |
| Console Screen                     | 10.1"Touchscreen | LED             |
| Motor Power                        | 3.0KW            | 3.0KW           |
| Speed                              | 1-24KM/H         | 1-24KM/H        |
| Incline                            | 0-15%            | 0-15%           |
| Running Surface                    | 580*1600mm       | 580*1600mm      |
| Assembled Dimension                | 2096*820*1630mm  | 2096*820*1630mm |
| Self-compiled programs             | 3                | 3               |
| Preset Programs                    | 6                | 6               |
| Power Requirements                 | AC 220V/110V     | AC 220V/110V    |
| Net Weight/Gross Weight            | 205/303KG        | 205/303KG       |
| Max User Weight                    | 150KG            | 150KG           |
| Console Function                   |                  |                 |
| USB                                | •                | -               |
| Headphone                          | •                | -               |
| Multiple Cup And Accessory Holders | •                | •               |
| Bluetooth Audio Output             | •                | -               |
| Console Data Display               |                  |                 |
| Speed                              | •                | •               |
| Incline                            | •                | •               |
| Quick Incline Speed                | •                | •               |
| Quick Incline                      | •                | •               |
| Calories                           | •                | •               |
| Heart Rate                         | •                | •               |
| Distance                           | •                | •               |
| Time                               | •                | •               |
| Frequency                          | •                | •               |
| Power Ration                       | •                | •               |
| Remaining Time                     | •                | •               |
| Elapsed Time                       | •                | •               |
| Total Progress Time                | •                | •               |
| Rotations Per Minute               | •                | •               |
| Average Speed                      | •                | •               |
| METS                               | •                | •               |
| Preset Program                     | •                | •               |
| Self-compiled                      | •                | •               |



# COMMERCIAL

The new elliptical machine boasts advanced technology and impeccable craftsmanship, providing you with a comfortable fitness environment.

The intelligent control system allows you to adjust resistance at any time, and personalized workout modes cater to diverse needs, making fitness smarter and more convenient.

#### **FEATURES**

- 540mm stride length
- 255mm Pedal centre distance
- 150 kg Max weight capacity
- 6 Pre-programmes
- CE Certified

#### **Optional Consoles**









## COMMERCIAL ADJUSTMENT ELLIPTICAL

Featuring a user-friendly interface and ergonomic design, our elliptical machine provides a smooth and natural motion that minimizes impact on your joints, making it perfect for users of all ages and fitness levels. Say goodbye to monotony and hello to variety with adjustable incline settings, offering endless possibilities for targeting different muscle groups and intensifying your workouts.


#### **FEATURES**

- 540mm stride length
- 255mm Pedal centre distance
- 150 kg Max weight capacity
- 6 Pre-programmes
- Smart incline Adjustment
- EMS driving system
- CE Certified

#### **Optional Consoles**













| Specifications                     | CTE60-AT               | CTE60-A                |
|------------------------------------|------------------------|------------------------|
| Console Screen                     | 10.1"Touchscreen       | LED                    |
| Resistance Level                   | 1-25                   | 1-25                   |
| Stride Length                      | 540mm                  | 540mm                  |
| Pedal Center Distance              | 255mm                  | 255mm                  |
| Self-compiled Programs             | 1                      | 1                      |
| Preset Programs                    | 6                      | 6                      |
| Power Requirements                 | AC 100V ~ 240V 50/60Hz | AC 100V ~ 240V 50/60Hz |
| Assembled Dimension                | 2165*840*1730mm        | 2165*840*1730mm        |
| Net Weight/Gross Weight            | 186/303KG              | 186/303KG              |
| Max User Weight                    | 150KG                  | 150KG                  |
| Console Function                   |                        |                        |
| USB                                | •                      | -                      |
| Headphone                          | •                      | -                      |
| Multiple Cup And Accessory Holders | •                      | •                      |
| Bluetooth Audio Output             | •                      | -                      |
| Mobile and Pad Holders             | •                      | •                      |
| Console Data Display               |                        |                        |
| Resistance Level Speed             | •                      | •                      |
| Adjustament Incline                | •                      | •                      |
| Rotations Per Minute               | •                      | •                      |
| Average Speed                      | •                      | •                      |
| Calories                           | •                      | •                      |
| Heart Rate                         | •                      | •                      |
| Distance                           | •                      | •                      |
| Time                               | •                      | •                      |
| Frequency                          | •                      | •                      |
| Power Ration                       | •                      | •                      |
| Remaining Time                     | •                      | •                      |
| Elapsed Time                       | •                      | •                      |
| Total Progress Time                | •                      | •                      |
| Preset Programs                    | •                      | •                      |
| Self-compiled programs             |                        |                        |
| Function Feature                   | •                      | •                      |
| Multiple Position Handrails        | •                      | •                      |
| Transport Wheel                    | •                      | •                      |





| Specifications                     | CTE60-T              | CTE60                |
|------------------------------------|----------------------|----------------------|
| Console Screen                     | 10.1"Touchscreen     | LED                  |
| Resistance Level                   | 1-25                 | 1-25                 |
| Stride Length                      | 540mm                | 540mm                |
| Pedal Center Distance              | 255mm                | 255mm                |
| Self-compiled Programs             | 1                    | 1                    |
| Preset Programs                    | 6                    | 6                    |
| Power Requirements                 | AC 100V~240V 50/60Hz | AC 100V~240V 50/60Hz |
| Assembled Dimension                | 2165*840*1730mm      | 2165*840*1730mm      |
| Net Weight/Gross Weight            | 186/303KG            | 186/303KG            |
| Max User Weight                    | 150KG                | 150KG                |
| Console Function                   |                      |                      |
| USB                                | •                    | -                    |
| Headphone                          | •                    | -                    |
| Multiple Cup And Accessory Holders | •                    | •                    |
| Bluetooth Audio Output             | •                    | -                    |
| Mobile and Pad Holders             | •                    | •                    |
| Console Data Display               |                      |                      |
| Resistance Level Speed             | •                    | •                    |
| Rotations Per Minute               | •                    | •                    |
| Average Speed                      | •                    | •                    |
| Calories                           | •                    | •                    |
| Heart Rate                         | •                    | •                    |
| Distance                           | •                    | •                    |
| Time                               | •                    | •                    |
| Frequency                          | •                    | •                    |
| Power Ration                       | •                    | •                    |
| Remaining Time                     | •                    | •                    |
| Elapsed Time                       | •                    | •                    |
| Total Progress Time                | •                    | •                    |
| Preset Programs                    | •                    | •                    |
| Self-compiled programs             | •                    | •                    |
| Function Feature                   |                      |                      |
| Multiple Position Handrails        | •                    | •                    |
| Transport Wheel                    | •                    | •                    |
|                                    |                      |                      |

# COMMERCIAL TRAINING BIKE

Embrace the future of fitness, challenge your limits, and experience it all with our new powerful performance Bike!

Fitness is no longer about mundane and monotonous routines; it's an adventure filled with passion and challenges. The training bike opens the door to a healthier and more vibrant lifestyle. Let's revolutionize the traditional and welcome a new era of fitness together!


#### **FEATURES**

- Suitable for users 150-200cm tall
- 150 kg Max weight capacity
- Synchronous belt + multiribbed belt 2-stage drive
- Self-generation
- CE Certified

#### **Optional Console**









# COMMERCIAL UPRIGHT BIKE

Engineered with cutting-edge technology and designed for maximum comfort and effectiveness, this revolutionary upright bike is set to redefine the way you experience your workouts.

Experience the thrill of a high-intensity cardio session from the comfort of your own home gym or living room. With its sleek and modern design, This Upright Bike seamlessly integrates into any space, providing a premium fitness experience without sacrificing style or functionality.

#### **FEATURES**


- Suitable for users 150-200cm tall
- 150 kg Max weight capacity
- Synchronous belt + multiribbed belt 2-stage drive
- Self-generation
- CE Certified

#### **Optional Console**













| Specifications                     | CBD50-T         | CBD50           |
|------------------------------------|-----------------|-----------------|
| Console Screen                     | 5"LCD           | -               |
| Resistance Level                   | 1-16            | 1-16            |
| Assembled Dimension                | 1480×570×1390mm | 1480×570×1390mm |
| Net Weight/Gross Weight            | 71/90KG         | 71/90KG         |
| Max User Weight                    | 150KG           | 150KG           |
| Console Data Display               |                 |                 |
| Resistance Level                   | •               | -               |
| Speed                              | •               | -               |
| Rotations Per Minute               | •               | -               |
| Average Speed                      | •               | -               |
| Calories                           | •               | -               |
| Distance                           | •               | -               |
| Time                               | •               | -               |
| Frequency                          | •               | -               |
| Remaining Time                     | •               | -               |
| Elapsed Time                       | •               | -               |
| Total Progress Time                | •               | -               |
| Function Feature                   |                 |                 |
| Multiple Position Handrails        | •               | •               |
| Multiple Cup And Accessory Holders | •               | •               |
| Adjustable Pedal                   | •               | •               |
| Adjustable Seat                    | •               | •               |
| Transport Wheel                    | •               | •               |
| Self-generation                    | •               | -               |
|                                    |                 |                 |





| Specifications                     | CBE50-T         | CBE50           |
|------------------------------------|-----------------|-----------------|
| Console Screen                     | 10.1"TFT        | LED             |
| Resistance Level                   | 1-30            | 1-30            |
| Assembled Dimension                | 1310×560×1520mm | 1310×560×1520mm |
| Net Weight/Gross Weight            | 71/90KG         | 71/90КG         |
| Max User Weight                    | 150KG           | 150KG           |
| Console Data Display               |                 |                 |
| Resistance Level                   | •               | -               |
| Speed                              | •               | -               |
| Rotations Per Minute               | •               | -               |
| Average Speed                      | •               | -               |
| Calories                           | •               | -               |
| Distance                           | •               | -               |
| Time                               | •               | -               |
| Frequency                          | •               | -               |
| Remaining Time                     | •               | -               |
| Elapsed Time                       | •               | -               |
| Total Progress Time                | •               | -               |
| Function Feature                   |                 |                 |
| Multiple Position Handrails        | •               | •               |
| Multiple Cup And Accessory Holders | •               | •               |
| Adjustable Pedal                   | •               | •               |
| Adjustable Seat                    | •               | •               |
| Transport Wheel                    | •               | •               |
| Self-generation                    | •               | -               |



## COMMERCIAL RECUMBENT BIKE

Whether you're aiming to improve cardiovascular health, burn calories, or enhance lower body strength, our recumbent bike delivers results with every pedal stroke. Equipped with adjustable resistance levels, it caters to your individual fitness needs, allowing you to progress at your own pace.







| Specifications                     | CBE50W-T        | CBE50W          |
|------------------------------------|-----------------|-----------------|
| Console Screen                     | 10.1"TFT        | LED             |
| Resistance Level                   | 1-30            | 1-30            |
| Assembled Dimension                | 1650×595×1440mm | 1650×595×1440mm |
| Net Weight/Gross Weight            | 85/105KG        | 85/105KG        |
| Max User Weight                    | 150KG           | 150KG           |
| Console Data Display               |                 |                 |
| Resistance Level                   | •               | -               |
| Speed                              | •               | -               |
| Rotations Per Minute               | •               | -               |
| Average Speed                      | •               | -               |
| Calories                           | •               | -               |
| Distance                           | •               | -               |
| Time                               | •               | -               |
| Frequency                          | •               | -               |
| Remaining Time                     | •               | -               |
| Elapsed Time                       | •               | -               |
| Total Progress Time                | •               | -               |
| Function Feature                   |                 |                 |
| Multiple Position Handrails        | •               | •               |
| Multiple Cup And Accessory Holders | •               | •               |
| Adjustable Pedal                   | •               | •               |
| Adjustable Seat                    | •               | •               |
| Transport Wheel                    | •               | •               |
| Self-generation                    | •               | -               |

#### **Optional Console**













| Specifications                     | CMC580-T         | CMC580                  |
|------------------------------------|------------------|-------------------------|
| Console Screen                     | 21.5"Touchscreen | 0.56"Led+8*8 Dot Matrix |
| Motor Power                        | 3.0KW            | 3.0KW                   |
| Speed                              | 1-24KM/H         | 1-24KM/H                |
| Incline                            | 0-15%            | 0-15%                   |
| Running Surface                    | 580*1600mm       | 580*1600mm              |
| Assembled Dimension                | 2220*910*1600mm  | 2220*910*1600mm         |
| Self-compiled programs             | 3                | 3                       |
| Preset Programs                    | 6                | 6                       |
| Power Requirements                 | AC 220V/110V     | AC 220V/110V            |
| Net Weight/Gross Weight            | 240KG            | 240KG                   |
| Max User Weight                    | 150KG            | 150KG                   |
| Console Function                   |                  |                         |
| USB                                | •                | 0                       |
| Headphone                          | •                | -                       |
| Fan                                | •                | •                       |
| Multiple Cup And Accessory Holders | •                | •                       |
| Bluetooth Audio Output             | •                | -                       |
| Console Data Display               |                  |                         |
| Speed                              | •                | •                       |
| Incline                            | •                | •                       |
| Speed Shortcut Key                 | •                | •                       |
| Slope Shortcut Key                 | •                | •                       |
| Calories                           | •                | •                       |
| Heart Rate                         | •                | •                       |
| Distance                           | •                | •                       |
| Time                               | •                | •                       |
| Frequency                          | •                | •                       |
| Power Ration                       | •                | •                       |
| Remaining Time                     | •                | •                       |
| Elapsed Time                       | •                | •                       |
| Total Progress Time                | • _              | •                       |
| Rotations Per Minute               | •                | •                       |
| Average Speed                      | •                | •                       |
| METS                               | •                | •                       |
| Preset Program                     | •                | •                       |
| Self-compiled                      | •                | •                       |





**CTC60-T** 






| Console Screen 10.1-Touchscreen 0.56*Led+4*9 Dot Matrix Resistance Level 1-25 1-25 1-25 1-25 1-25 1-25 1-25 1-25   | Specifications                     | CTC60-T                | CTC60                  |
|--|------------------------------------|------------------------|------------------------|
| Resistance Level   | •                                  |                        |                        |
| Stride Grade   |                                    |                        |                        |
| Step Depth Grade         1-15         1-15           Stride Adjustment Length         481-637mm         481-637mm           Step Depth Adjustment Length         485-561mm         485-561mm           Pedal Center Distance         230mm         230mm           Self-compiled Programs         1         1           Power Requirements         AC 1000 ~ 2400 SO/60lv2         AC 1000 ~ 2400 SO/60lv2           Assembled Dimension         2120°790°1680mm         2120°790°1680mm           Net Weight/Gross Weight         255/310KG         225/310KG           Max User Weight         150KG         150KG           Console Function         0         1           USB         0         0           Headphone         0         0           Fan         0         0           Multiple Cup And Accessory Holders         0         0           Bluetooth Audio Output         0         0           Mobile and Pad Holders         0         0           Console Data Display         Resistance Level         0           Stride Adjustment         0         0           Step Depth Adjustment         0         0           Speed         0         0           Galories  |                                    |                        |                        |
| Stride Adjustment Length         481-637mm         481-637mm           Step Depth Adjustment Length         435-561mm         435-561mm           Pedal Center Distance         230mm         230mm           Self-compiled Programs         1         1           Preset Programs         6         6           Power Requirements         AC 100V – 240V SO/50Hz         AC 100V – 240V SO/50Hz           Assembled Dimension         2120°790°1680mm         2120°790°1680mm           Net Weight/Gross Weight         225/310KG         225/310KG           Max User Weight         150KG         150KG           Console Function         0         0           USB         •         0           Headphone         •         •           Fan         •         •           Multiple Cup And Accessory Holders         •         •           Bluetooth Audio Output         •         •           Mobile and Pad Holders         •         •           Console Data Display         Resistance Level         •         •           Stride Adjustment         •         •           Steped         •         •         •           Rotations Per Minute         •         • <t< td=""><td></td><td>1-15</td><td>1-15</td></t<>   |                                    | 1-15                   | 1-15                   |
| Step Depth Adjustment Length         435-56.mm         435-56.mm           Pedal Center Distance         230mm         230mm           Self-compiled Programs         1         1           Preset Programs         6         6           Power Requirements         AC 100V ~ 240V 50/60Hz         AC 100V ~ 240V 50/60Hz           Assembled Dimension         2120*790*1680mm         2120*790*1680mm           Net Weight/Gross Weight         150KG         225/310KG           Max User Weight         150KG         150KG           Console Function         .         .           USB         •         .           Headphone         •         .           Fan         •         .           Multiple Cup And Accessory Holders         •         .           Bluetooth Audio Output         •         .           Mobile and Pad Holders         •         .           Console Data Display         Resistance Level         •           Stride Adjustment         •         .           Step Depth Adjustment         •         .           Step Depth Adjustment         •         .           Actions Per Minute         •         .           Actions Per Minute   |                                    |                        |                        |
| Self-compiled Programs         1         1           Preset Programs         6         6           Power Requirements         AC 100V ~ 240V 50/60Hz         AC 100V ~ 240V 50/60Hz           Assembled Dimension         2120*790*1680mm         2120*790*1680mm           Net Weight//Gross Weight         225/310KG         225/310KG           Max User Weight         150KG         150KG           Console Function         0         0           USB         •         0           Headphone         •         •           Fan         •         •           Multiple Cup And Accessory Holders         •         •           Bluetooth Audio Output         •         •           Mobile and Pad Holders         •         •           Console Data Display         Resistance Level         •           Resistance Level         •         •           Stride Adjustment         •         •           Step Depth Adjustment         •         •           Steped         •         •           Rotations Per Minute         •         •           Average Speed         •         •           Galories         •         •   | •                                  | 435-561mm              | 435-561mm              |
| Preset Programs         6         6           Power Requirements         AC 100V ~ 240V 50/60Hz         AC 100V ~ 240V 50/60Hz           Assembled Dimension         2120*790*1680mm         2120*790*1680mm           Net Weight/Gross Weight         150KG         150KG           Max User Weight         150KG         150KG           Console Function           USB         •         •           Headphone         •         •           Fan         •         •           Multiple Cup And Accessory Holders         •         •           Bluetooth Audio Output         •         •           Mobile and Pad Holders         •         •           Console Data Display         **         •           Resistance Level         •         •           Stride Adjustment         •         •           Steped         •         •           Rotations Per Minute         •         •           Average Speed         •         •           Calories         •         •           Heart Rate         •         •           Distance         •         •           Time         •         •  |                                    | 230mm                  | 230mm                  |
| Preset Programs         6         6           Power Requirements         AC 100V ~ 240V 50/60Hz         AC 100V ~ 240V 50/60Hz           Assembled Dimension         2120*790*1680mm         2120*790*1680mm           Net Weight/Gross Weight         150KG         150KG           Max User Weight         150KG         150KG           Console Function           USB         •         •           Headphone         •         •           Fan         •         •           Multiple Cup And Accessory Holders         •         •           Bluetooth Audio Output         •         •           Mobile and Pad Holders         •         •           Console Data Display         **         •           Resistance Level         •         •           Stride Adjustment         •         •           Steped         •         •           Rotations Per Minute         •         •           Average Speed         •         •           Calories         •         •           Heart Rate         •         •           Distance         •         •           Time         •         •  | Self-compiled Programs             | 1                      | 1                      |
| Power Requirements         AC 100V ~ 240V 50/50Hz         AC 100V ~ 240V 50/50Hz           Assembled Dimension         2120*790*1680mm         2120*790*1680mm           Net Weight/Gross Weight         150KG         150KG           Max User Weight         150KG         150KG           Console Function           USB         •         •           Headphone         •         •           Fan         •         •           Multiple Cup And Accessory Holders         •         •           Bluetooth Audio Output         •         •           Mobile and Pad Holders         •         •           Console Data Display         *         •           Resistance Level         •         •           Stride Adjustment         •         •           Step Depth Adjustment         •         •           Step Depth Adjustment         •         •           Average Speed         •         •         •           Rotations Per Minute         •         •         •           Average Speed         •         •         •           Calories         •         •         •           Heart Rate         •         •  |                                    | 6                      | 6                      |
| Assembled Dimension         2120*790*1680mm         2120*790*1680mm           Net Weight/ Gross Weight         150KG         150KG           Max User Weight         150KG         150KG           Console Function           USB         •         0           Headphone         •         -           Fan         •         •           Multiple Cup And Accessory Holders         •         •           Bluetooth Audio Output         •         -           Mobile and Pad Holders         •         •           Console Data Display         *         •           Resistance Level         •         •           Stride Adjustment         •         •           Step Depth Adjustment         •         •           Step Depth Adjustment         •         •           Speed         •         •         •           Rotations Per Minute         •         •         •           Average Speed         •         •         •           Calories         •         •         •           Heart Rate         •         •         •           Distance         •         •         •   | •                                  | AC 100V ~ 240V 50/60Hz | AC 100V ~ 240V 50/60Hz |
| Max User Weight         150KG         150KG           Console Function         0           USB         0           Headphone         -           Fan         0           Multiple Cup And Accessory Holders         0           Bluetooth Audio Output         -           Mobile and Pad Holders         0           Console Data Display         -           Resistance Level         0           Stride Adjustment         0           Step Depth Adjustment         0           Speed         0           Rotations Per Minute         0           Average Speed         0           Calories         0           Average Speed         0           Calories         0           Heart Rate         0           Distance         0           Time         0           Frequency         0           Power Ration         0           Remaining Time         0           Elapsed Time         0           Total Progress Time         0           Preset Programs         0           Self-compiled programs         0           Function Feature         0 <td>-</td> <td></td> <td></td>  | -                                  |                        |                        |
| Max User Weight         150KG         150KG           Console Function         0           USB         0           Headphone         -           Fan         0           Multiple Cup And Accessory Holders         0           Bluetooth Audio Output         -           Mobile and Pad Holders         0           Console Data Display         -           Resistance Level         0           Stride Adjustment         0           Step Depth Adjustment         0           Speed         0           Rotations Per Minute         0           Average Speed         0           Calories         0           Average Speed         0           Calories         0           Heart Rate         0           Distance         0           Time         0           Frequency         0           Power Ration         0           Remaining Time         0           Elapsed Time         0           Total Progress Time         0           Preset Programs         0           Self-compiled programs         0           Function Feature         0 <td>Net Weight/Gross Weight</td> <td>225/310KG</td> <td>225/310KG</td>  | Net Weight/Gross Weight            | 225/310KG              | 225/310KG              |
| Console Function  USB  Headphone  Fan  Nultiple Cup And Accessory Holders  Bluetooth Audio Output  Mobile and Pad Holders  Console Data Display  Resistance Level  Stride Adjustment  Step Depth Adjustment  Step Depth Adjustment  Average Speed  Calories  Heart Rate  Distance  Time  Frequency  Power Ration  Remaining Time  Elapsed Time  Total Progress Time  Preset Programs  Self-compiled programs  Function Feature  Smart Step Depth Adjustment  Substine Audio Output  Power Ration  Preset Popth Adjustment  Self-compiled programs  Multiple Position Handrails  Punction Feature  Multiple Position Handrails  Punction Feature  Multiple Position Handrails  Punction Feature  Multiple Position Handrails  Power Ration Audio Output  Power Ration  Remaining Time  Preset Programs  Preset Progra |                                    | ·                      |                        |
| Headphone Fan  Fan  Multiple Cup And Accessory Holders Bluetooth Audio Output  Mobile and Pad Holders  Console Data Display Resistance Level Stride Adjustment  Step Depth Adjustment  Speed Rotations Per Minute  Average Speed Calories Heart Rate Distance Time Frequency Power Ration Remaining Time Elapsed Time Total Programs Self-compiled programs Function Feature Smart Stride Adjustment Function Feature Smart Step Depth Adjustment Function Feature Smart Step Depth Adjustment Average Speed Function Heart Rate Function Feature Frequency Freque |                                    |                        |                        |
| Fan  Multiple Cup And Accessory Holders Bluetooth Audio Output  Mobile and Pad Holders  Console Data Display  Resistance Level  Stride Adjustment  Step Depth Adjustment  Speed  Rotations Per Minute  Average Speed  Calories  Heart Rate  Distance  Time  Frequency  Power Ration  Remaining Time  Elapsed Time  Total Programs  Function Feature  Smart Stride Adjustment  Seed  Multiple Position Handrails  Multiple Position Handrails  Multiple Position Handrails  Power Adjustable Handrail  Multiple Position Handrails  Multiple Position Handrails  Ones Adjustable Handrail   | USB                                | •                      | 0                      |
| Fan  Multiple Cup And Accessory Holders Bluetooth Audio Output  Mobile and Pad Holders  Console Data Display  Resistance Level  Stride Adjustment  Step Depth Adjustment  Speed  Rotations Per Minute  Average Speed  Calories  Heart Rate  Distance  Time  Frequency  Power Ration  Remaining Time  Elapsed Time  Total Programs  Function Feature  Smart Stride Adjustment  Seed  Multiple Position Handrails  Multiple Position Handrails  Multiple Position Handrails  Power Adjustable Handrail  Multiple Position Handrails  Multiple Position Handrails  Ones Adjustable Handrail   | Headphone                          | •                      | -                      |
| Bluetooth Audio Output  Mobile and Pad Holders  Console Data Display  Resistance Level  Stride Adjustment  Step Depth Adjustment  Speed  Rotations Per Minute  Average Speed  Calories  Heart Rate  Distance  Time  Frequency  Power Ration  Remaining Time  Elapsed Time  Total Progress Time  Preset Programs  Function Feature  Smart Stride Adjustment  Multiple Position Handrails  Quick Adjustable Handrail   | -                                  | •                      | •                      |
| Bluetooth Audio Output  Mobile and Pad Holders  Console Data Display  Resistance Level  Stride Adjustment  Step Depth Adjustment  Speed  Rotations Per Minute  Average Speed  Calories  Heart Rate  Distance  Time  Frequency  Power Ration  Remaining Time  Elapsed Time  Total Progress Time  Preset Programs  Function Feature  Smart Stride Adjustment  Multiple Position Handrails  Quick Adjustable Handrail   | Multiple Cup And Accessory Holders | •                      | •                      |
| Console Data Display Resistance Level Stride Adjustment Step Depth Adjustment Speed Rotations Per Minute  Average Speed Calories Heart Rate Distance Time Frequency Power Ration Remaining Time Elapsed Time Total Progress Time Preset Programs Self-compiled programs Function Feature Smart Step Depth Adjustment Multiple Position Handrails Quick Adjustable Handrail  •  •  •  •  •  •  •  •  •  •  •  •  •  | • • •                              | •                      | -                      |
| Resistance Level  Stride Adjustment  Step Depth Adjustment  Speed  Rotations Per Minute  Average Speed  Calories  Heart Rate  Distance  Time  Frequency  Power Ration  Remaining Time  Elapsed Time  Total Progress Time  Preset Programs  Self-compiled programs  Function Feature  Smart Step Depth Adjustment  Multiple Position Handrails  Quick Adjustable Handrail   •  •  •  •  •  •  •  •  •  •  •  •  | Mobile and Pad Holders             | •                      | •                      |
| Stride Adjustment  Step Depth Adjustment  Speed  Rotations Per Minute  Average Speed  Calories  Heart Rate  Distance  Time  Frequency  Power Ration  Remaining Time  Elapsed Time  Total Progress Time  Preset Programs  Self-compiled programs  Function Feature  Smart Stride Adjustment  Multiple Position Handrails  Quick Adjustable Handrail   •  •  •  •  •  •  •  •  •  •  •  •  | Console Data Display               |                        |                        |
| Step Depth Adjustment Speed  Rotations Per Minute  Average Speed Calories  Heart Rate Distance Time Frequency Power Ration Remaining Time Elapsed Time Total Progress Time Preset Programs Self-compiled programs Function Feature Smart Stride Adjustment Multiple Position Handrails Quick Adjustable Handrail  •  •  •  •  •  •  •  •  •  •  •  •  •  | Resistance Level                   | •                      | •                      |
| Speed  | Stride Adjustment                  | •                      | •                      |
| Rotations Per Minute  Average Speed  Calories  Heart Rate  Distance  Time  Frequency  Power Ration  Remaining Time  Elapsed Time  Total Progress Time  Preset Programs  Self-compiled programs  Function Feature  Smart Stride Adjustment  Multiple Position Handrails  Quick Adjustable Handrail   •  •  •  •  •  •  •  •  •  •  •  •   | Step Depth Adjustment              | •                      | •                      |
| Average Speed  Calories  Heart Rate  Distance  Time  Frequency  Power Ration  Remaining Time  Elapsed Time  Total Progress Time  Preset Programs  Self-compiled programs  Function Feature  Smart Stride Adjustment  Multiple Position Handrails  Quick Adjustable Handrail  •  •  •  •  •  •  •  •  •  •  •  •  •   | Speed                              | •                      | •                      |
| Calories Heart Rate Distance Time Frequency Power Ration Remaining Time Elapsed Time Total Progress Time Preset Programs Self-compiled programs Function Feature Smart Stride Adjustment Multiple Position Handrails Quick Adjustable Handrail   | <b>Rotations Per Minute</b>        | •                      | •                      |
| Heart Rate  Distance  Time  Frequency  Power Ration  Remaining Time  Elapsed Time  Total Progress Time  Preset Programs  Self-compiled programs  Function Feature  Smart Stride Adjustment  Smart Step Depth Adjustment  Multiple Position Handrails  Quick Adjustable Handrail  | Average Speed                      | •                      | •                      |
| Distance Time  Frequency  Power Ration  Remaining Time  Elapsed Time  Total Progress Time  Preset Programs  Self-compiled programs  Function Feature  Smart Stride Adjustment  Multiple Position Handrails  Quick Adjustable Handrail  •  •  •  •  •  •  •  •  •  •  •  •  •   | Calories                           | •                      | •                      |
| Time  Frequency  Power Ration  Remaining Time  Elapsed Time  Total Progress Time  Preset Programs  Self-compiled programs  Function Feature  Smart Stride Adjustment  Multiple Position Handrails  Quick Adjustable Handrail   | Heart Rate                         | •                      | •                      |
| Frequency Power Ration Remaining Time Elapsed Time Frequency Preset Programs Self-compiled programs Function Feature Smart Stride Adjustment Multiple Position Handrails Quick Adjustable Handrail  Power Ration Feature Function F | Distance                           | •                      | •                      |
| Power Ration Remaining Time  Elapsed Time  Total Progress Time  Preset Programs  Self-compiled programs  Function Feature  Smart Stride Adjustment  Multiple Position Handrails  Quick Adjustable Handrail   | Time                               | •                      | •                      |
| Remaining Time  Elapsed Time  Total Progress Time  Preset Programs  Self-compiled programs  Function Feature  Smart Stride Adjustment  Multiple Position Handrails  Quick Adjustable Handrail  | Frequency                          | •                      | •                      |
| Elapsed Time  Total Progress Time  Preset Programs  Self-compiled programs  Function Feature  Smart Stride Adjustment  Smart Step Depth Adjustment  Multiple Position Handrails  Quick Adjustable Handrail   | Power Ration                       | •                      | •                      |
| Total Progress Time  Preset Programs  Self-compiled programs  Function Feature  Smart Stride Adjustment  Smart Step Depth Adjustment  Multiple Position Handrails  Quick Adjustable Handrail   | Remaining Time                     | •                      | •                      |
| Preset Programs  Self-compiled programs  Function Feature  Smart Stride Adjustment  Smart Step Depth Adjustment  Multiple Position Handrails  Quick Adjustable Handrail  | Elapsed Time                       | •                      | •                      |
| Self-compiled programs  Function Feature  Smart Stride Adjustment  Smart Step Depth Adjustment  Multiple Position Handrails  Quick Adjustable Handrail   | Total Progress Time                | •                      | •                      |
| Function Feature  Smart Stride Adjustment  Smart Step Depth Adjustment  Multiple Position Handrails  Quick Adjustable Handrail  • • • • • • • • • • • • • • • • • •  | Preset Programs                    | •                      | •                      |
| Smart Stride Adjustment  Smart Step Depth Adjustment  Multiple Position Handrails  Quick Adjustable Handrail  • • • • • • • • • • • • • • • • • •  | Self-compiled programs             | •                      | •                      |
| Smart Step Depth Adjustment  Multiple Position Handrails  Quick Adjustable Handrail  • • • • • • • • • • • • • • • • • •   | Function Feature                   | •                      | •                      |
| Multiple Position Handrails  Quick Adjustable Handrail  • • •  | Smart Stride Adjustment            | •                      | •                      |
| Quick Adjustable Handrail • •  | Smart Step Depth Adjustment        | •                      | •                      |
| -  | <b>Multiple Position Handrails</b> | •                      | •                      |
| Transport Wheel  | Quick Adjustable Handrail          | •                      | •                      |
|  | Transport Wheel                    | •                      | •                      |







CTC550-CL





CTC550-C

| Specifications                     | CTC550-CL              | CTC550-C                |
|------------------------------------|------------------------|-------------------------|
| Console Screen                     | 10.1"Touchscreen       | 0.56"Led+8*8 Dot Matrix |
| Resistance Level                   | 1-20                   | 1-20                    |
| Staircase Dimension                | 550*278*205mm          | 550*278*205mm           |
| Initial Stair Height               | 300mm                  | 300mm                   |
| E□ective Utilization Staircase     | 3                      | 3                       |
| Self-compiled Programs             | 1                      | 1                       |
| Preset Programs                    | 6                      | 6                       |
| Power Requirements                 | AC 100V ~ 240V 50/60Hz | AC 100V ~ 240V 50/60Hz  |
| Assembled Dimension                | 1600*970*2230mm        | 1600*970*2230mm         |
| Net Weight/Gross Weight            | 226/310KG              | 226/310KG               |
| Max User Weight                    | 150KG                  | 150KG                   |
| Console Function                   |                        |                         |
| USB                                | •                      | 0                       |
| Headphone                          | •                      | -                       |
| Fan                                | •                      | •                       |
| Multiple Cup And Accessory Holders | •                      | •                       |
| Bluetooth Audio Output             | •                      | •                       |
| Mobile and Pad Holders             | •                      | <del>-</del>            |
| Console Data Display               | •                      | •                       |
| Resistance Level                   |                        |                         |
| Speed                              | •                      | •                       |
| <b>Rotations Per Minute</b>        | •                      | •                       |
| Average Speed                      | •                      | •                       |
| Calories                           | •                      | •                       |
| Heart Rate                         | •                      | •                       |
| Distance                           | •                      | •                       |
| Time                               | •                      | •                       |
| Frequency                          | •                      | •                       |
| Power Ration                       | •                      | •                       |
| Remaining Time                     | •                      | •                       |
| Elapsed Time                       | •                      | •                       |
| Total Progress Time                | •                      | •                       |
| Preset Programs                    | •                      | •                       |
| Self-compiled Programs             | •                      | •                       |
| Function Feature                   | •                      | •                       |
| Safety Side Step                   |                        |                         |
| Easily Stepped Into                | •                      | •                       |
| Patent-Emergency Stop              | •                      | •                       |
| Multiple Position Handrails        | •                      | •                       |
| Quick Adjustable Handrail          | •                      | •                       |
| Transport Wheel                    | •                      | •                       |
| -                                  |                        |                         |















| Specifications                     | CBL60-T                | CBL60                   |
|------------------------------------|------------------------|-------------------------|
| Console Screen                     | 10.1"Touchscreen       | 0.56"Led+8*8 Dot Matrix |
| Resistance Level                   | 1-25                   | 1-25                    |
| Self-complied Programs             | 1                      | 1                       |
| Preset Programs                    | 6                      | 6                       |
| Power Requirements                 | AC 100V ~ 240V 50/60Hz | AC 100V ~ 240V 50/60Hz  |
| Assembled Dimension                | 1200×500×1450mm        | 1200×500×1450mm         |
| Net Weight/Gross Weight            | 75/95KG                | 75/95KG                 |
| Max User Weight                    | 150KG                  | 150KG                   |
| Console Function                   | 13000                  | 130KG                   |
| USB                                |                        | 0                       |
| Headphone                          | •                      | 0                       |
| Fan                                | •                      | -                       |
| Multiple Cup And Accessory Holders | •                      | •                       |
| Bluetooth Audio Output             | •                      | •                       |
| Mobile and Pad Holders             |                        | •                       |
| Console Data Display               | •                      | •                       |
| Resistance Level                   |                        | •                       |
| Speed                              | •                      | •                       |
| Rotations Per Minute               | •                      | •                       |
| Average Speed                      | •                      | •                       |
| Calories                           | •                      | •                       |
| Heart Rate                         | •                      | •                       |
| Distance                           |                        | •                       |
| Time                               | •                      | •                       |
| Frequency                          |                        | •                       |
| Power Ration                       | •                      | •                       |
| Remaining Time                     | •                      | •                       |
| Elapsed Time                       | •                      | •                       |
| Total Progress Time                | •                      | •                       |
| Preset Programs                    | •                      | •                       |
| Self-complied Programs             | •                      | •                       |
| Function Feature                   | •                      | •                       |
| Multiple Position Handrails        | _                      |                         |
| Quick Adjustable Handrail          | •                      | •                       |
| Adjustable Pedal                   | •                      | •                       |
| •                                  | •                      | •                       |
| Adjustable Seat                    | •                      | •                       |
| Transport Wheel                    | •                      | •                       |







#### **Chest Press**

#### PE101

Standard Weight Stack: 96 kg / 212 lbs Optional Weight Stack: 123 kg / 271 lbs Assembled Dimension: 122.5X147.7X179.6cm Net Weight: 165 kg



#### **Shoulder Press**

#### PE102

Standard Weight Stack: 96 kg/212 lbs Assembled Dimension: 162.4X159.2X159.6 cm Net Weight: 170 kg



#### **Pulldown**

#### PE104

Standard Weight Stack: 96 kg/212 lbs Optional Weight Stack: 123 kg/271lbs Assembled Dimension: 166.8X125.4X193 cm Net Weight: 162 kg



#### **Dip/Chin Assistant**

#### PE105

Standard Weight Stack: 141 kg/311 lbs Assembled Dimension: 158.8X131.6X251.6 cm Net Weight: 140 kg



#### **Arm Curl**

#### PE108

Standard Weight Stack: 96 kg/212 lbs Optional Weight Stack: 123 kg/271 lbs Assembled Dimension: 151X144X160 cm Net Weight: 153 kg



## **Converging Chest Press**

#### PE109

Standard Weight Stack: 96 kg/212 lbs Optional Weight Stack: 123 kg/271 lbs Assembled Dimension: 140X130X160 cm Net Weight: 158 kg



#### **Triceps Press**

#### PE110

Standard Weight Stack: 66 kg/146 lbs Optional Weight Stack: 84 kg/185 lbs Assembled Dimension: 177.5X115.7X160 cm Net Weight: 164 kg



#### Pec Fly/Rear Delt

#### PE111

Standard Weight Stack: 96 kg/212 lbs Optional Weight Stack: 123 kg/271lbs Assembled Dimension: 137.9×115.7×190.6 cm

Net Weight: 148 kg



#### **Seated Row**

#### PE107

Standard Weight Stack: 96 kg/212 lbs Optional Weight Stack: 123 kg/271 lbs Assembled Dimension: 193X111.5X160 cm

Net Weight: 155 kg



#### **Leg Extension**

#### PE201

Standard Weight Stack: 96 kg/212 lbs Optional Weight Stack: 123 kg/271 lbs Assembled Dimension: 125.2×129.5×159.6 cm

Net Weight: 160 kg



#### **Prone Leg Curl**

#### PE203

Standard Weight Stack: 66 kg/146 lbs Optional Weight Stack: 84 kg/185 lbs Assembled Dimension: 173.8×113.6×159.6 cm

Net Weight: 160 kg



#### **Hip Abduction**

#### PE205

Standard Weight Stack: 66 kg/146 lbs Optional Weight Stack: 84 kg/185 lbs Assembled Dimension: 160X74X159.7 cm

Net Weight: 135 kg



#### **Lateral Raise**

#### PE113

Standard Weight Stack: 66 kg/146 lbs Optional Weight Stack: 84 kg/185 lbs Assembled Dimension: 113.3×126.6×159.6 cm

Net Weight: 140 kg



#### **Glute Extension**

#### PE209

Standard Weight Stack: 96 kg/212 lbs Optional Weight Stack: 123 kg/271 lbs Assembled Dimension: 133X126.5X160 cm

Net Weight: 140 kg



#### **Hip Adduction**

#### PE210

Standard Weight Stack: 66 kg/146 lbs Optional Weight Stack: 84 kg/185 lbs Assembled Dimension: 157.6X72X159.6 cm

Net Weight: 138 kg



#### **Abdominal**

#### PE301

Standard Weight Stack: 96 kg/212 lbs Optional Weight Stack: 123 kg/271 lbs Assembled Dimension: 141.5X102.3X160 cm

Net Weight: 130 kg



#### **Seated Leg Press**

#### PE207

Standard Weight Stack: 123 kg/271 lbs Assembled Dimension: 170X118X160 cm Net Weight: 203 kg



#### **Standing Calf**

#### PE208

Standard Weight Stack: 114 kg/251 lbs Optional Weight Stack: 141kg/311 lbs Assembled Dimension: 140X128X161 cm Net Weight: 165 kg



#### **Torso Rotation**

#### PE303

Standard Weight Stack: 96 kg/212 lbs Optional Weight Stack: 123 kg/271 lbs Assembled Dimension: 131X73X160 cm Net Weight: 142 kg









#### **Cable Cross**

#### PE402

Standard Weight Stack: 2\*96 kg/2\*212 lbs Optional Weight Stack: 2\*123 kg/2\*271 lbs Assembled Dimension: 172X100X219 cm Net Weight: 190 kg



#### PE403

Standard Weight Stack: 2\*96 kg/2\*212 lbs Optional Weight Stack: 2\*123 kg/2\*271 lbs Assembled Dimension: 420.6x72x237 cm Net Weight: 250 kg

#### 4-Stack

#### PE404

Standard Weight Stack: 4\*96 kg/4\*212 lbs Optional Weight Stack: 4\*123 kg/4\*271 lbs Assembled Dimension: 330x211x234.5 cm Net Weight: 337 kg





#### 6-Stack

Standard Weight Stack: 5\*96 kg/5\*212 lbs Optional Weight Stack: 5\*123 kg/5\*271 lbs Assembled Dimension: 520x330x237 cm Net Weight: 477 kg

#### 9-Stack

#### PE409

Standard Weight Stack: 8\*96 kg/8\*212 lbs Optional Weight Stack: 8\*123 kg/8\*271 lbs Assembled Dimension: 618X330X237 cm Net Weight: 704 kg







# Multi Press (Chest/Shoulder)

PS01

Standard Weight Stack: 96 kg/212 lbs Optional Weight Stack: 123 kg/271 lbs Assembled Dimension: 177.9X151X159.6 cm

Net Weight: 168 kg



#### Inner/Outer

PS05

Standard Weight Stack: 66 kg/146 lbs
Optional Weight Stack: 84 kg/185 lbs
Assembled Dimension: 157.7X162.8X159.6 cm
Net Weightt: 155 kg



#### Pulldown/ Seated Row

PS02

Standard Weight Stack: 96 kg/212 lbs Optional Weight Stack: 123 kg/271 lbs Assembled Dimension: 173X156.5X230.2 cm

Net Weight: 157 kg



Abdominal/ Back Extension

PS06

Standard Weight Stack: 66 kg/146 lbs Optional Weight Stack: 84 kg/185 lbs Assembled Dimension: 127.5X130X159.6 cm Net Weight: 143 kg



# **Bicep Curl/ Tricep Extension**

PS03

Standard Weight Stack: 66 kg/146 lbs Optional Weight Stack: 84 kg/185 lbs Assembled Dimension: 119.5X120X159.6 cm

Net Weight: 133 kg



#### Leg Extension/ Leg Curl

PS04

Standard Weight Stack: 96 kg/212 lbs Optional Weight Stack: 123 kg/271 lbs Assembled Dimension: 146X122.4X159.6 cm

Net Weight: 160 kg





**Chest Press** 

T01

Assembled Dimension: 153.1×215.8×179.2 cm Net Weight: 185 kg



**Pulldown** 

T02

Assembled Dimension: 178×156.1×189.2 cm Net Weight: 178 kg



**Shoulder Press** 

T03

Assembled Dimension: 135.3×191.4×114.2 cm Net Weight: 165 kg



**Seated Row** 

T04

Assembled Dimension: 155.2×147×122.8 cm Net Weight: 146 kg



#### **Leg Extension**

T05

Assembled Dimension: 163.7×141.6×110.9 cm Net Weight: 122 kg



#### **Seated Calf Raise**

T06

Assembled Dimension: 143.3×75.9×113.2 cm Net Weight: 70 kg





**Olympic Flat Bench** 

PEB101

Assembled Dimension: 188×155×130 cm

Net Weight: 80 kg



**Abdominal Bench** 

PEB106

Assembled Dimension: 154×68×100 cm

Net Weight: 50 kg



**Olympic Incline Bench** 

PEB102

Assembled Dimension: 196×190×148 cm

Net Weight: 103 kg



**Back Extension** 

PEB107

Assembled Dimension: 138×75.5×88.5 cm

Net Weight: 60 kg



**Olympic Decline Bench** 

PEB103

Assembled Dimension: 196.2×190×128.8 cm

Net Weight: 95 kg



**Dip station** 

PEB108

Assembled Dimension: 127×124×235 cm

Net Weight: 110 kg



**Multi-Adjustable Bench** 

PEB104

Assembled Dimension: 153.8×67×126.5 cm

Net Weight: 40 kg



Scott

PEB109

Assembled Dimension: 125.7×85×94.8 cm

Net Weight: 48 kg



**Flat Bench** 

PEB110

Assembled Dimension: 125.6×67×43 cm

Net Weight: 24kg



**Dumbbell Rack 2 Tier-6** 

PEB111-6

Assembled Dimension: 152.5×53.9×71.2 cm

Net Weight: 57 kg



**Dumbbell Rack 3 Tier-6** 

PEB112-6

Assembled Dimension: 152.5×62.2×93.2 cm

Net Weight: 68 kg



**Dumbbell Rack 2 Tier-9** 

PEB111-9

Assembled Dimension: 212×51.1×71.2cm

Net Weight: 76 kg



**Dumbbell Rack 3 Tier-9** 

PEB112-9

Assembled Dimension: 212×59.4×93.2 cm

Net Weight: 94 kg



**Small Bar Rack** 

Assembled Dimension: 100×92.3×163.5 cm

Net Weight: 60 kg



**Leg Press Machine** 

PEB203

Assembled Dimension: 223×166×147 cm

Net Weight: 220 kg



**Utility Bench** 

PEB116

Assembled Dimension: 93.8×67×106 cm

Net Weight: 24 kg



**Portal Frame** 

PEB117

Assembled Dimension: 220.4×156×233.5 cm

Net Weight: 275 kg



**Plate Rack** 

PEB118

Assembled Dimension: 83×67×114 cm

Net Weight: 28 kg



PEB119



**Kettle Bell Rack- 2 Tier** 

PEB121

Assembled Dimension: 161×55×72 cm

Net Weight: 60 kg



**Bar Rack** 

PEB124

Assembled Dimension: 86×48×24 cm

Net Weight: 24 kg



**Smith Machine** 

PEB201

Assembled Dimension: 217×132×229 cm

Net Weight: 196 kg



Assembled Dimension: 202×166×148 cm

Net Weight: 240 kg

PEB204

**Plate Loaded Squat** 



**Small Squat Rack** 

PEB205

Assembled Dimension: 156×123.5×185.6 cm

Net Weight: 80 kg



**Extension** 

PEB301

Assembled Dimension: 126×68×119 cm

Net Weight: 50 kg